

Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

RBE350A91-2381-01
Job Sheet 179011



Part No: RBE350A91-2381-01 **Job Qty:** 1 ea
Part Name: Tail Boom Support



Part Weight: 0 lbs **Status:** Scheduled **Priority:** Medium
Job Created: 6/12/18 **Job Tracking No:**
Due Date: 7/10/18 **Created By:** Patrick Lussier
Type: Stock **Description:**
Note: RBE350A91-2381-01 rev.1 IPP REV:A 18.06.11 NEW ISSUE DD VERF:DP
Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard Setup hrs	Standard Run Hrs	Workcenter / Supplier	Lead Time	Sign-off
100	**Purchasing**	1 pcs		7/10/18	0.00	0.00	Purchasing		JUL 18 2018 MG
110	**Packaging**	1 pcs		7/10/18	0.00	0.00	Packaging2		JUL 18 2018 MG
120	**QC**	1 pcs		7/10/18	0.00	0.00	QC6		38
130	**SprayPaint**	1 pcs		7/10/18	0.00	0.50	Spray Paint		9-89 DAS
140	**QC**	1 pcs		7/10/18	0.00	0.00	QC14		38
150	**Small Fab**	1 pcs		7/10/18	0.00	0.50	Small Fab-9		9-89
160	**QC**	1 pcs		7/10/18	0.00	0.00	QC5		18-10-18
170	**Packaging**	1 pcs		7/10/18	0.00	0.00	Packaging3-2		DAS
180	**QC21-FG**	1 Ea		7/10/18	0.00	0.00	QC21		21 OCT 31 2018

Part Op Descriptions: **100** - Issue PO to Cusson Cabinet P/O: 40170 MANUFACTURE RBE350A91-2381-01 AS PER DWG -Certificate of conformity is required
130 - PRIME AND PAINT YELLOW PER MIL-P-24441 PRIMER BATCH:__________ PAINT BATCH:__________
150 - 1- INSTALL -13 /-21 /-25 AFTER PAINTING AS PER DWG

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBE350A91-2381-01P	Base	1 Ea (1 ea)	100-Purchasing	
90935A148	Pan Head Screw	16 Ea (16 ea)	150-Small Fab	5080543
~~RB41009~~ RB41011	Dart Tooling Placard	1 Ea (1 ea)	150-Small Fab	5021090
RBE350A91-2381-01-13	Felt Pad w/ Adhesive Back	2 ft (2 ea)	150-Small Fab	5082439
RBE350A91-2381-01-21	Folding Pull Handles	2 Ea (2 ea)	150-Small Fab	5082440

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBE350A91-2381-01P	1	0	0
150-Small Fab	90935A148	16	100	0
	RB41009	1	0	0
	RBE350A91-2381-01-13	2	10	0
	RBE350A91-2381-01-21	2	8	0

Plex 7/5/18 9:04 AM dart.Lussier.Patrick



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K64 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S093376



Part: RBE350A91-2381-01
Job No: 179011
Serial No/Batch: S093376
Revision: 1
Inspector:
Exp Date:
Instructions:

Date: 07/18/16

Part Specifications
Specifications could not be found.

Plex 7/5/18 9:04 AM dart.Lussier.Patrick



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

RBE350A91-2381-01
Job Sheet 179011



POSITIVE RECALL
EFFECTIVE 18/06/14 AUTH S
RELEASED 18/07/16 DATE S

Part No: RBE350A91-2381-01 **Job Qty:** 1 ea
Part Name: Tail Boom Support



Part Weight: 0 lbs **Status:** Scheduled **Priority:** Medium
Job Created: 6/12/18 **Job Tracking No:** unapproved supplier
Due Date: 7/3/18 **Created By:** Patrick Lussier
Type: Stock **Description:**
Note: RBE350A91-2381-01 rev.1 IPP REV:A 18.06.11 NEW ISSUE DD VERF:DP
Ship Via:

ON SITE inspection Required

Bill of Materials

S 18/06/13

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard Setup hrs	Standard Run Hrs	Workcenter / Supplier	Lead Time	Sign-off
100	**Purchasing**	1 pcs		7/3/18	0.00	0.00	Purchasing		
110	**Packaging**	1 pcs		7/3/18	0.00	0.00	Packaging2		
120	**QC**	1 pcs		7/3/18	0.00	0.00	QC6		
130	**SprayPaint**	1 pcs		7/3/18	0.00	0.50	Spray Paint		
140	**QC**	1 pcs		7/3/18	0.00	0.00	QC14		
150	**Small Fab**	1 pcs		7/3/18	0.00	0.50	Small Fab-9		
160	**QC**	1 pcs		7/3/18	0.00	0.00	QC5		
170	**Packaging**	1 pcs		7/3/18	0.00	0.00	Packaging3-2		
180	**QC21-FG**	1 Ea		7/3/18	0.00	0.00	QC21		

Part Op Descriptions: **100** - Issue PO to Cusson Cabinet P/O: 040170 MANUFACTURE RBE350A91-2381-01 AS PER DWG -Certificate of conformity is required
130 - PRIME AND PAINT YELLOW PER MIL-P-24441 PRIMER BATCH:__________ PAINT BATCH:__________
150 - 1- INSTALL -13 /-21 /-25 AFTER PAINTING AS PER DWG

June 14 x 1 Pn

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBE350A91-2381-01P	Base	1 Ea (1 ea)	100-Purchasing	S093358
90935A148	Pan Head Screw	16 Ea (16 ea)	150-Small Fab	
RB41009	Dart Tooling Placard	1 Ea (1 ea)	150-Small Fab	
RBE350A91-2381-01-13	Felt Pad w/ Adhesive Back	2 ft (2 ea)	150-Small Fab	
RBE350A91-2381-01-21	Folding Pull Handles	2 Ea (2 ea)	150-Small Fab	

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBE350A91-2381-01P	1	0	0
150-Small Fab	90935A148	16	100	0
	RB41009	1	0	0
	RBE350A91-2381-01-13	2	0	0
	RBE350A91-2381-01-21	2	0	0

Plex 6/14/18 9:03 AM dart.Lussier.Patrick

Part Specifications
Specifications could not be found.

Plex 6/14/18 9:03 AM dart.Lussier.Patrick



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER
PO040170

Supplier: CUS001-VC
Cusson Armoires & Cabinets
141 Rue Longeuil Street
L'Orignal
ON
K0B 1K0
Phone: 613-677-2675

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO040170
PO Date: 6/12/18
Due Date: 7/6/18
Purchase Order Revision:
Revision Date:
Ship-To Contact: Lussier, PatrickPhone:
Pymt Terms: Prepay
Freight Terms:
Special Comments: CUSSON ARMOIRES & CABINETS

Revision

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1		RBE350A91-2381-01P			Wooden Rack Support in Marine plywood, all specifications as per drawings	Firmed	7/10/18	1 Ea	0 Ea 1x	1 Ea	$545.00/Ea	$545.00
Line Item Note	W/O 179011											
2		RBE350A91-2381-01P			Wooden Rack Support in Marine plywood, all specifications as per drawings	Firmed	7/16/18	2 Ea	0 Ea 2x	2 Ea	$445.00/Ea	$890.00
Line Item Note	W/O 179126											
											Grand Total:	$1,435.00

DAS 38 9-89

Order Notes

Procurement Quality Clauses
A005 RIGHT OF ENTRY
A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
A012 CHEMICAL AND PHYSICAL TEST REPORTS
A016 PERSONNEL QUALIFICATION
A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A041 QUALITY MANAGEMENT SYSTEM
A042 DART NOTIFICATION BY SUPPLIER
A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 7/5/18 9:00 AM dart.Lussier.Patrick

*** CERTIFICATE of CONFORMITY***

Manufacture: Cusson wood worker

Purchase order #:	Packing Slip#	Part #:	Drawing Rev:	Serial/Batch:
PO040170		RBE350A91-2381-01P		

Description (Part Name):	Quantity:
Wooden Rack Support	3

Certification:
We hereby certify that: PLEASE CHECK BOX IF REQUIRED

1. The above listed items were manufactured and/or inspected in accordance with applicable supplied drawings and/or specifications. ☑
2. All work was accomplished in accordance with the Dart Aerospace Ltd. purchase order. ☑
3. Results of all inspections, chemical or physical test, as well as other evidence, which shows the acceptability of raw materials, parts and/or assembly components are on file and available for inspection at any time. ☑
4. All material certification or copies of purchase orders of the material used to manufacture this component have been attached to this document. ☑

Record Expiry Date of Materials:______________________________

Authority:

Approval:	Date: (yyyy/mm/dd) 17 juillet, 2018.
Signature: [signature]	Title: Owner.

DAS 38 9-89

H:\forms\Quality Assurance\approved QA \Supplier Certificate of Conformity revA

Proof of material

Titebond® III
Colle de bois ultime

Propriétés physiques (typiques)

Type Polymère breveté de pointe
État Liquide
Couleur Havane
Pellicule sèche Brun pâle
Solides 52 %
Viscosité 4 200 cps
pH 2,5

COV calculé (moins l'eau) : 5,6 g/L
Poids/gallon 9,22 lb (4,2 kg).
Température de craie* Environ 8,3 °C (47 °F).
Point éclair > 93 °C (200 °F).
Stabilité gel/dégel Stable
Durée de conservation 12 mois dans des contenants bien fermés à 23,8 °C (75 °F).

*La température de craie indique la température la plus basse recommandée pour que la colle, l'air et les matériaux puissent être durant l'application pour assurer une bonne adhésion.

Directives d'application

Température d'application Au-dessus de 8,3 °C (47 °F).
Temps d'assemblage ouvert 10 minutes (21 °C [70 °F]/50 % HR)
Temps d'assemblage total 20 à 25 minutes
Répartition minimale requise 18 kg (40 lb) par 1 000 pieds² (7 mils)
Pression de serrage requise Assez pour bien rapprocher les joints serrés (normalement à 689 à 1 034 kPa (100 à 150 lb/po²) pour les bois tendres, 862 à 1 206 kPa (125 à 175 lb/po²) pour les bois moyens et 1 206 à 1 724 kPa (175 à 250 lb/po²) pour les bois durs)
Méthodes d'application Bouteilles de plastique pour les applications fines ou enduisez la colle avec une enduiseuse à rouleau ou un pinceau.
Nettoyage Chiffon humide tandis que la colle est humide. Poncez le surplus séché.

Résistance d'adhésion ASTM D-905 (sur l'érable dur)

Température	Force de lb/po² - kPa	% défaillance du bois
Température ambiante	4 000 – 27 560	57

Caractéristiques du produit

- **Passe la norme ANSI/HPVA de résistance à l'eau de type I**
- **Formule hydrofuge qui se nettoie avec de l'eau**
- **Force supérieure - adhérence initiale solide**
- **Conçue pour les applications intérieures et extérieures**
- **Temps d'assemblage ouvert plus long**
- **Température d'application plus basse**
- **N'est pas affectée par les finis**
- **Approuvée par la FDA (É.-U.) pour un contact alimentaire indirect**

Limitations

La colle de bois ultime Titebond III n'est pas conçue pour une submersion continue ou pour une utilisation sous la ligne d'eau. Ne convient pas pour les applications porteuses ou structurales N'utilisez pas lorsque la température, la colle et les matériaux sont à une température inférieure à 8,3 °C (47 °F). Rangez le produit sous 23,8 °C.(75 °F).Le rangement au-dessus de cette température pourrait faire épaissir le produit et réduire sa durée de conservation utilisable. Si le produit épaissit, agitez vigoureusement en frappant fermement la bouteille sur une surface dure jusqu'à ce que le produit retrouve sa forme originale. À cause de variations de surface du bois traité, c'est une bonne idée de faire un test d'adhésion. Lisez la FSSP avant d'utiliser le produit. PROTÉGEZ DU GEL.
GARDEZ HORS DE PORTÉE DES ENFANTS.

Information de commande

N° de cat.	Taille	Unités par paquet	Poids lb - kg	Paquets par palette
1411	Bouteille de 71 ml (1,25 oz)	50	6 - 3	160
1412	Bouteille de 113 ml (4 oz)	12	5 - 2	270
1413	Bouteille de 227 ml (8 oz)	12	8 - 4	160
1414	Bouteille de 455 ml (16 oz)	12	16 - 7	100
1415	Bouteille de pinte (0,45 L)	6	16 - 7	88
1416	Cruche de gallon (3,78 L)	2	20 - 9	63
1417	Seau plastique 19 L (5 gals)	1	52 - 23	24
1418	Baril de 208 litres (55 gallons)	1	559 - 251	4

*En instance de brevet

Notice importante : Nos recommandations, s'il y a lieu, pour l'utilisation de ce produit s'appuient sur des tests que l'on croit fiables. Puisque l'utilisation de ce produit est au-delà du contrôle du fabricant, aucune garantie, expresse ou implicite, n'est offerte quant à une toute utilisation ou effets indirects d'une telle utilisation, manipulation ou possession ou quant aux résultats à obtenir, que ce soit conformément aux directives ou déclarés tels. Le fabricant décline donc expressément toute responsabilité. Qui plus est, aucune partie de ce document ne doit être considérée comme une recommandation d'utilisation de tout produit en conflit avec les lois et/Ou les brevets actuels couvrant tout matériau ou toute utilisation.

2020 Bruck Street, Columbus, Ohio 43207
SERVICE À LA CLIENTÈLE 1-800-669-4583
SERVICE TECHNIQUE 1-800-347-GLUE
www.titebond.com

Franklin International

DocuFire Fax → LUC CUSSON

INVOICE / FACTURE

No. 2570860
Customer/Client CWO141
PST/TVQ 1211781471 tQ 0001
GST/TPS 80843 8543 RT0001
ORST 1740-5645
VER

...den's
... Unit 7
...0A 1L0
...800-807-8751
...8560

...SON WOOD WORKER
...1 RUE LONGUEUIL
BOX 159
L'ORIGNAL, ON K0B 1K0 Canada

Ship To / Expédier à
CUSSON WOOD WORKER
141 RUE LONGUEUIL
BOX 159
L'ORIGNAL, ON K0B 1K0 Canada

Register for an on-line account at www.mcfaddens.com! - Inscrivez-vous à notre site web transactionnel à www.mcfaddens.com!
Oakville and Vaughan warehouses are now open on Saturdays from 8:00 AM - 3:00 PM! - Nos succursales d'Oakville et de Vaughan sont maintenant ouvertes les Samedis de 8h00 à 15h00.

DATE	SHIP VIA / EXPÉDIÉ PAR	F.O.B / F.A.B.	TERMS / CONDITIONS	CURRENCY/DOLLAR
06/20/18	OUR TRUCK	Destination	CASH/CERTIFIED/VISA	CDN.

P.O. NO. / N° DE BON COMMANDE	ORD. DATE / DATE COMM.	SALESPERSON / REPRÉSENTANT	INITIALS / INITIALES	PACKING SLIP NO. / BON DE LIVRAISON NO.
Luc	06/20/18	D2	DK	> 2482370<

ORDERED COMM.	SHIPPED EXPÉDIÉE	B/O	DESCRIPTION	GST	UNIT PRICE PRIX/UNITÉ	EXT PRICE TOTAL
2	2		3/4 A/1 RY OKOUME VC WP GLUE 4X8 WATERPROOF GLUE	*	$135.99	$271.98
1	1		FREIGHT CHARGE #4 - OUR TRUCK ONLY	*	$40.00	$40.00

▷ Proof of material.

PST/TVQ Exempt		$311.98
PST/TVQ Taxable		
HST/GST/TPS	13.0%	$40.56
PST/TVQ	0.000%	
Total Inv./Facture		$352.54

Please make all cheque payments to McFadden's Hardwood & Hardware Inc. / Le paiement doit être fait à Panneaux & Quincaillerie McFaddens inc.
RA-COC-002574

PAID
MZ

DA.
38
9-8

Where applicable, all materials supplied meets CPA EPP 3-08 or ECC 4-11 requirements for recycled/ recovered fiber content and is CARB phase 2 compliant.
Là où applicable, tous matériels fournis rencontre les exigences CPA EPP 3-08 ou ECC 4-11 au niveau du recyclage et/ou de la récupération des matières fibreuses.
Where applicable, material(s) supplied comply with CARB2 emission standards / Le matériel fourni respecte les normes standards d'émissions "CARB2" là où applicables

All quotations are made, all orders are accepted, all contracts are made and all goods sold and delivered are subject to the express conditions that in the event of any latent or apparent defect of design, material or workmanship, or any breach of any condition of warranty, express or implied, the liability of the seller shall in no circumstance exceed the invoice price of the defective goods. Returned goods are subject to a restocking charge. A SERVICE CHARGE ON OVERDUE ACCOUNTS OF 2% PER MONTH (26.82% PER ANNUM) WILL BE CHARGED.

Tous les devis sont faits, toutes les commandes sont acceptées, tous les contrats sont conclus et toutes les marchandises sont vendues et livrées sous reserve des conditions exprimées qu'en cas d'un vice apparent ou caché de conception, de matériau ou de fabrication, ou tout dommage, ou de toute condition ou garantie quelconque soit explicite soit tacite, la responsabilité du vendeur ne dépassera en aucun cas le prix de la facturation des marchandises. Les marchandises retournées seront sujets à des frais de retour. LES FRAIS DE SERVICE DE 2% PAR MOIS(26.82% PAR AN) SERONT PORTÉS AUX COMPTES EN SOUFFRANCE.

End/Fin

CUSTOMER/CLIENT

Cusson
ARMOIRES = CABINETS

INVOICE

Invoice No.: 5142
Date: 06/21/2018

141 rue Longueuil, C.P. 159
L'Orignal, Ontario K0B 1K0
Tel: 613-675-4441

Sold to:

Dart Aerospace
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship to:

Dart Aerospace
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Business No.: GST # R114716269

Quantity	Description	Tax	Amount
1	Wooden Rack support in Marine plywood, all specifications as per drawings	H	545.00
2	Wooden Rack support in Marine plywood, all specifications as per drawings	H	890.00
	H - HST 13%		
	GST		186.55

Comment: Frais d'administration de 2% par mois sur tout solde impayé	**Total Amount**	1,621.55